

An obsolute... for camfart



TYPICAL FLOOR PLAN

SPECIFICATIONS

PAVAN CASTLE



R.C.C. Open Foundation as per structural design.

PLUMBING & SANITARY:

Sanitary ware of standard make. CP fittings with hot & cold mixer.

PAINTING:

Internal: Two coat plastic emulsion paint. External: water proof emulsion paint.

LIFT:

Standard make (capacity for 6 persons).

SECURITY:

Round the clock security with intercom and CCTV surveillance.

WATER SUPPLY:

24 hours bore water supply through overhead tank.

STAIRCASE & RAILING:

Granite staircase with ss railing.

GENERATOR:

Lift, Motor, common lighting.

TAXES:

GST and any other govt Taxes as applicable will be at flat owner's cost.

Note:

1) Our technical consultants may alter the specifications for betterment at any stage of construction and their decision will

2) Any deviations from the drawings or specifications will be at an extra cost.











40' Wide West Road

SUPER STRUCTURE:

R.C.C. Frame.

WALLS:

Brick Masonry With traditional bricks. External walls 9"/6", internal walls 41/2" thick.

PLASTERING:

External walls: smooth plastering with putty finish. Internal walls: smooth plastering with wall putty.

DOORS:

Main doors: Teakwood for frame & shutter with polished

Other doors: teakwood frames and flush doors shutter.

WINDOWS:

UPVC windows with safety grills.

FLOORING:

Living, dining, bedrooms & kitchen: 3'x3' / 4'x2' vitrified tiles with 2mm spacer. Bathrooms and wash area: anti-skid ceramic tiles, DADO

with glazed tiles upto lintel.

KITCHEN:


Granite platform with stainless steel sink. Glazed ceramic tile dado up to 3' height above the kitchen platform.

ELECTRICAL:

Standard make switches with concealed copper wiring of reputed make.

A/C provisions for bedrooms. Power points for chimney, water purifier, mixer/ grinder in

kitchen.



BUILDERS | ENGINEERS | ARCHITECTS

SV INFRA DEVELOPERS

FLAT NO 101, SRI JANARDHAN ARCADE, 4TH LANE DWARKANAGAR, VSP.

Ph: 9866121340, 9440805687





Architectural Renderings & Brochure Designed by

